Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
G. Attardi
D. Baltimore
S. Bernhard
D. Branton
J. Cairns
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. von Ehrenstein
G. Felsenfeld
W. Gilbert
J. Hurwitz
A. Klug
D. E. Koshland
D. C. Phillips
L. Stryer
A. Tissières
P. M. B. Walker
J. Wyman

LIBRARY USE ONLY
UNIVERSITY OF HAWAII LIBRARY

VOLUME 62
28 November 1971 to 28 December 1971

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1971, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 62

NUMBER 1, 28 NOVEMBER 1971

GRAY, H. B., JR., UPHOLT, W. B. and VINOGRAD, J., A Buoyant Method for the Determination of the Superhelix Density of Closed Circular DNA . . 1

UPHOLT, W. B., GRAY, H. B., JR. and VINOGRAD, J., Sedimentation Velocity Behavior of Closed Circular SV40 DNA as a Function of Superhelix Density, Ionic Strength, Counterion and Temperature 21

HUBERMAN, J. A., KORNBERG, A. and ALBERTS, B. M., Stimulation of T4 Bacteriophage DNA Polymerase by the Protein Product of T4 Gene *32* 39

LEVINE, M. and SCHOTT, C., Mutations of Phage P22 affecting Phage DNA Synthesis and Lysogenization 53

PEARSON, G. D. and HANAWALT, P. C., Isolation of DNA Replication Complexes from Uninfected and Adenovirus-infected HeLa Cells 65

TAKANAMI, M., OKAMOTO, T. and SUGIURA, M., Termination of RNA transcription on the Replicative Form DNA of Bacteriophage fd 81

SURZYCKI, S. J. and ROCHAIX, J. D., Transcriptional Mapping of Ribosomal RNA Genes of the Chloroplast and Nucleus of *Chlamydomonas reinhardi* 89

Appendix—Mathematical Analysis 102

SMITH, I., COLLI, W. and OISHI, M., Studies on the Physical Linkage of Antibiotic Resistance Markers to Ribosomal RNA Genes in *Bacillus subtilis* . 111

NASHIMOTO, H., HELD, W., KALTSCHMIDT, E. and NOMURA, M., Structure and Function of Bacterial Ribosomes. XII. Accumulation of 21 s Particles by Some Cold-sensitive Mutants of *Escherichia coli* 121

SADLER, J. R. and SMITH, T. F., Mapping of the Lactose Operator. . . 139

BORAM, W. and ABELSON, J., Bacteriophage Mu Integration: On the Mechanism of Mu-induced Mutations 171

CELIS, T. F. R. and MAAS, W. K., Studies on the Mechanism of Repression of Arginine Biosynthesis in *Escherichia coli*. IV. Further Studies on the Role of Arginine Transfer RNA. Repression of the Enzymes of Arginine Biosynthesis 179

Cramer, J. H. and Sinsheimer, R. L., Replication of Bacteriophage MS2. X. Phage-specific Ribonucleoprotein Particles found in MS2-infected *Escherichia coli* 189

Hewitt, R. and Gaskins, P., Influence of Ultraviolet Irradiation on Chromosome Replication in Ultraviolet-sensitive Bacteria 215

Yourno, J., Similarity of Cross-suppressible Frameshifts in *Salmonella typhimurium* 223

Yourno, J., Ino, I. and Kohno, T., A Hotspot for Spontaneous Frameshift Mutations in the Histidinol Dehydrogenase Gene of *Salmonella typhimurium* 233

Greer, J., Three-dimensional Structure of Abnormal Human Haemoglobins Chesapeake and J Capetown 241

Fujime, S. and Ishiwata, S., Dynamic Study of F-actin by Quasielastic Scattering of Laser Light 251

Letter to the Editor—

Sinha, N. K. and Snustad, D. P., DNA Synthesis in Bacteriophage T4-infected *Escherichia coli:* Evidence Supporting a Stoichiometric Role for Gene *32*-product 267

Number 2, 14 December 1971

Content, J. and Duesberg, P. H., Base Sequence Differences among the Ribonucleic Acids of Influenza Virus 273

Davis, R. W. and Hyman, R. W., A Study in Evolution: the DNA Base Sequence Homology between Coliphages T7 and T3 287

King, A. M. Q. and Nicholson, B. H., Physical Studies on *Escherichia coli* B RNA Polymerase and its Subunits 303

Yuki, A., Tentative Identification of a "Maturation Enzyme" for Precursor 16 s Ribosomal RNA in *Escherichia coli* 321

Nelson, J. H., Grunberger, D., Cantor, C. R. and Weinstein, I. B., Modification of Ribonucleic Acid by Chemical Carcinogens. IV. Circular Dichroism and Proton Magnetic Resonance Studies of Oligonucleotides Modified with *N*-2-Acetylaminofluorene 331

Terada, M., Banks, J. and Marks, P. A., RNA Synthesized during Differentiation of Yolk Sac Erythroid Cells 347

Pörschke, D. and Eigen, M., Co-operative Non-enzymic Base Recognition. III. Kinetics of the Helix–Coil Transition of the Oligoribouridylic–Oligoriboadenylic Acid System and of Oligoriboadenylic Acid alone at Acidic pH 361

Craig, M. E., Crothers, D. M. and Doty, P., Relaxation Kinetics of Dimer Formation by Self Complementary Oligonucleotides 383

Letters to the Editor—

Martini, O. H. W. and Gould, H. J., Enumeration of Rabbit Reticulocyte Ribosomal Proteins 403

Stöffler, G. and Wittmann, H. G., Ribosomal Proteins. XXV. Immunological Studies on *Escherichia coli* Ribosomal Proteins 407

Stöffler, G., Daya, L., Rak, K. H. and Garrett, R. A., Ribosomal Proteins. XXVI. The Number of Specific Protein Binding Sites on 16 s and 23 s RNA of *Escherichia coli* 411

Perham, R. N. and Thomas, J. O., Reaction of Tobacco Mosaic Virus with a Thiol-containing Imidoester and a possible application to X-ray Diffraction Analysis 415

Ihler, G. and Nakada, D., Role of Initiation Factors in the Control of T4-specific Protein Synthesis 419

Erratum 423

Number 3, 28 December 1971

Baltz, R. H., Infectious DNA of Bacteriophage T4 425

Frankel, F. R., Batcheler, M. L. and Clark, C. K., The Role of Gene *49* in DNA Replication and Head Morphogenesis in Bacteriophage T4 . . 439

King, J. and Laemmli, U. K., Polypeptides of the Tail Fibres of Bacteriophage T4 465

Ward, S. and Dickson, R. C., Assembly of Bacteriophage T4 Tail Fibers. III. Genetic Control of the Major Tail Fiber Polypeptides . . . 479

Bode, V. C. and Gillin, F. D., The Arrangement of DNA in Lambda Phage Heads. I. Biological Consequences of Micrococcal Nuclease Attack on a Portion of the Chromosome Exposed in Tailless Heads 493

Gillin, F. D. and Bode, V. C., The Arrangement of DNA in Lambda Phage Heads. II. λ DNA after Exposure to Micrococcal Nuclease at the Site of Head–Tail Joining 503

Bourgaux, P. and Bourgaux-Ramoisy, D., A Symmetrical Model for Polyoma Virus DNA Replication 513

Gurgo, C., Craig, E., Schlessinger, D. and Afolayan, A., Polyribosome Metabolism in *Escherichia coli* Starved for an Amino Acid . . . 525

Kiselev, N. A., Lerner, F. Ya and Livanova, N. B., Electron Microscopy of Muscle Phosphorylase *b* 537

Beckman, L. D., Hoffman, M. S. and McCorquodale, D. J., Pre-early Proteins of Bacteriophage T5: Structure and Function 551

Grossman, L. I., Cryer, D. R., Goldring, E. S. and Marmur, J., The Petite Mutation in Yeast. III. Nearest-neighbor Analysis of Mitochondrial DNA from Normal and Mutant Cells 565

Roth, C. W. and Nester, E. W., Co-ordinate Control of Tryptophan, Histidine and Tyrosine Enzyme Synthesis in *Bacillus subtilis* 577

Wang, A. C. and Kallenbach, N. R., Helical Complexes of Polyriboinosinic Acid with Copolymers of Polyribocytidylic Acid containing Inosine, Adenosine and Uridine Residues 591

Appendix—Kallenbach, N. R. and Litwin, S., Statistical Analysis of Spectral Mixing Curve Data 608

Finkelstein, A. V. and Ptitsyn, O. B., Statistical Analysis of the Correlation among Amino Acid Residues in Helical, β-Structural and Non-regular Regions of Globular Proteins 613

Letter to the Editor—

Åkervall, K. and Strandberg, B., X-ray Diffraction Studies of the Satellite Tobacco Necrosis Virus. III. A New Crystal Mounting Method Allowing Photographic Recording of 3 Å Diffraction Data 625

Announcements 629

Index to Volume 62

Abelson, J. (see also Boram, W.), 171
N-2-Acetylaminofluorene oligonucleotide modifications studied by circular dichroism and proton magnetic resonance, 331
Adenosine, inosine and uridine residue-containing polyribocytidylic acid copolymers, helical complexes with polyriboinosinic acid, 591
Adenovirus-infected HeLa cells, isolation of DNA replication complexes, 65
Afolayan, A. (see also Gurgo, C.), 525
Åkervall, K. & Strandberg, B., X-ray diffraction studies of the satellite tobacco necrosis virus. III. A new crystal mounting method allowing photographic recording of 3Å diffraction data, 625
Alberts, B. M. (see also Huberman, J. A.), 39
Antibiotic resistance markers, their physical linkage to ribosomal RNA genes in *Bacillus subtilis*, 111
Arginine-tRNA, role in the repression of the enzymes of arginine biosynthesis in *Escherichia coli*, 179

Bacillus subtilis, co-ordinate control of tryptophan, histidine and tyrosine enzyme synthesis, 577
— —, physical linkage of antibiotic resistance markers to ribosomal RNA genes, 111
Bacteria, ultraviolet-sensitive, influence of ultraviolet irradiation on chromosome replication, 215
Bacterial ribosome structure and function, accumulation of 21 s particles by some cold-sensitive mutants of *Escherichia coli*, 121
Bacteriophage fd, termination of RNA transcription on the replicative form DNA, 81
— λ DNA after exposure to micrococcal nuclease at the site of head–tail joining, 503
— — tailless heads, biological consequences of micrococcal nuclease attack on a portion of the chromosome exposed, 493
— MS2, phage-specific ribonucleoprotein particles found in MS2-infected *Escherichia coli*, 189
— μ integration, mechanism of mu-induced mutations, 171
— P22 mutations affecting phage DNA synthesis and lysogenization, 53
— SV40 closed circular DNA, sedimentation velocity behaviour, 21
— T4 DNA polymerase stimulation by the protein product of T4 gene *32*, 39
— —-infected *Escherichia coli* DNA synthesis, evidence supporting a stoichiometric role for gene *32*-product, 267
— —, infectious DNA, 425
— —, role of gene *49* in DNA replication and head morphogenesis, 439
— — tail fibre polypeptide assembly, genetic control, 479
— — — — polypeptides, 465
— T5, structure and function of pre-early proteins, 551
Baltz, R. H., Infectious DNA of bacteriophage T4, 425
Banks, J. (see also Terada, M.), 347
Base sequence differences among the ribonucleic acids of influenza virus, 273
Batcheler, M. L. (see also Frankel, F. R.), 439
Beckman, L. D., Hoffman, M. S. & McCorquodale, D. J., Pre-early proteins of phage T5. Structure and function, 551
Bode, V. C. (see also Gillin, F. D.), 503
— & Gillin, F. D., Arrangement of DNA in λ phage heads. I. Biological consequences of micrococcal nuclease attack on a portion of the chromosome exposed in tailless heads, 493
Boram, W. & Abelson, J., Bacteriophage μ integration: on the mechanism of μ-induced mutations, 171
Bourgaux, P. & Bourgaux-Ramoisy, D., A symmetrical model for polyoma virus DNA replication, 513
Bourgaux-Ramoisy, D. (see also Bourgaux, P.), 513

Cantor, C. R. (see also Nelson, J. H.), 331
Carcinogens, chemical, modification of RNA, 331
Celis, T. F. R. & Maas, W. K., Studies on the mechanism of repression of arginine biosynthesis in *Escherichia coli*. IV. Further studies on the role of arginine-tRNA repression of the enzymes of arginine biosynthesis, 179
Chesapeake, three-dimensional structure of this abnormal human haemoglobin, 241
Chlamydomonas reinhardi, nucleus, transcriptional mapping of ribosomal RNA genes, 89
— —, transcriptional mapping of ribosomal RNA genes of the chloroplast and nucleus, 89
Chloroplast of *Chlamydomonas reinhardi*, transcriptional mapping of the ribosomal RNA genes, 89
Chromosome replication in ultraviolet-sensitive bacteria, effect of irradiation, 215
Circular dichroism studies of oligonucleotides modified with *N*-2-acetylaminofluorene, 331
Clark, C. K. (see also Frankel, F. R.), 439
Coliphages T7 and T3, DNA base sequence homology, 287
Colli, W. (see also Smith, I.), 111
Content, J. & Duesberg, P. H., Base sequence differences among the ribonucleic acids of influenza virus, 273
Craig, M. E., Crothers, D. M. & Doty, P., Relaxation kinetics of dimer formation by self complementary oligonucleotides, 383
Cramer, J. H. & Sinsheimer, R. L., Replication of bacteriophage MS2. X. Phage-specific ribonucleoprotein particles found in MS2-infected *Escherichia coli*, 189
Crothers, D. M. (see also Craig, M. E.), 383
Cryer, D. R. (see also Grossman, L. I.), 565

Davis, R. W. & Hyman, R. W., A study in evolution: the DNA base sequence homology between coliphages T7 and T3, 287
Daya, L. (see also Stöffler, G.), 411
Dehydrogenase, a hotspot for spontaneous frameshift mutations in the histidinol dehydrogenase gene of *Salmonella typhimurium*, 233
Deoxyribonucleic acid arrangement in λ phage heads, 493
— — of bacteriophage λ after exposure to micrococcal nuclease at the site of head–tail joining, 503
— — base sequence homology between coliphages T7 and T3, 287
— —, closed circular, buoyant method for determination of superhelix density, 1
— —, infectious, of bacteriophage T4, 425
— —, mitochondrial, from normal and mutant yeast cells analysed by nearest neighbour method after petite mutation, 565
— —, mutations of phage P22 affecting DNA synthesis and lysogenization, 53
— — polymerase of bacteriophage T4, stimulation by the protein product of T4 gene *32*, 39
— — replication and head morphogenesis in bacteriophage T4, role of gene *49*, 439
— — — complexes isolated from uninfected and adenovirus-infected HeLa cells, 65
— —, replicative form, of bacteriophage fd, termination RNA transcription, 81
— —, sedimentation velocity behaviour of closed circular SV40 DNA, 21
— —, symmetrical model for polyoma virus DNA replication, 513
— — synthesis in bacteriophage T4-infected *Escherichia coli*, evidence supporting a stoichiometric role for gene *32*-product, 267
Dickson, R. C. (see also Ward, S.), 479
Doty, P. (see also Craig, M. E.), 383
Duesberg, P. H. (see also Content, J.), 273

Eigen, M. (see also Pörschke, D.), 361
Electron microscopy of muscle phosphorylase *b*, 537
Erythroid cell, yolk sac, differentiation, RNA synthesis, 347
Escherichia coli, accumulation of 21 s particles by some cold-sensitive mutants, 121
— — B, physical studies on RNA polymerase and its subunits, 303
— — DNA synthesis in cells infected with bacteriophage T4, evidence supporting a stoichiometric role for gene *32*-product, 267
— —, MS2-infected, phage-specific ribonucleoprotein particles found, 189
— — polyribosome metabolism on starvation for an amino acid, 525
— —, 16 s ribosomal RNA precursor, identification, 321
— — ribosomal proteins, immunological studies, 407
— —, role of arginine-tRNA repression of enzymes of arginine biosynthesis, 179
— —, specific binding sites on 16 s and 23 s RNA, 411
Evolutionary study, DNA base sequence homology between coliphages T7 and T3, 287

F-actin, dynamic study by quasi-elastic scattering of laser light, 251
Finkelstein, A. V. & Ptitsyn, O. B., Statistical analysis of the correlation among amino acid residues in helical, β-structural and non-regular regions of the globular proteins, 613
Frameshift mutations, spontaneous, hotspot in the histidinol dehydrogenase gene of *Salmonella typhimurium*, 233
Frameshifts, cross-repressible, similarity in *Salmonella typhimurium*, 223
Frankel, F. R., Batcheler, M. L. & Clark, C. K., The role of gene *49* in DNA replication and head morphogenesis in bacteriophage T4, 439
Fujime, S. & Ishiwata, S., Dynamic study of F-actin by quasi-elastic scattering of laser light, 251

Garrett, R. A. (see also Stöffler, G.), 411
Gaskins, P. (see also Hewitt, R.), 215
Genetic control of assembly of the major tail fibre polypeptides of bacteriophage T4, 479
Gillin, F. D. (see also Bode, V. C.), 493
— & Bode, V. C., Arrangement of DNA in λ phage heads. II. λ DNA after exposure to micrococcal nuclease at the site of head–tail joining, 503
Globular proteins, statistical analysis of the correlation among amino acid residues in helical, β-structural and non-regular regions, 613
Goldring, E. S. (see also Gross, L. I.), 565
Gould, H. J. (see also Martini, O. H. W.), 403
Gray, H. B., Jr. (see also Upholt, W. B.), 21
—, Upholt, W. B. & Vinograd, J., A buoyant method for the determination of the superhelix density of closed circular DNA, 1
Greer, J., Three-dimensional structure of abnormal human haemoglobins Chesapeake and J Capetown, 241
Grossman, L. I., Cryer, D. R., Goldring, E. S. & Marmur, J., The petite mutation in yeast. III. Nearest neighbour analysis of mitochondrial DNA from normal and mutant cells, 565
Grunberger, D. (see also Nelson, J. H.), 331
Gurgo, C., Craig, E., Schlessinger, D. & Afolayan, A., Polyribosome metabolism in *Escherichia coli* starved for an amino acid, 525

Haemoglobins, abnormal human Chesapeake and J Capetown, three-dimensional structure, 241
Hanawalt, P. C. (see also Pearson, G. D.), 65
Helix–coil transition, kinetics at acidic pH of oligoriburidylic·oligoriboadenylic acid and of oligoriboadenylic acid alone, 361
HeLa cells, isolation of DNA replication complexes from uninfected and adenovirus-infected cells, 65
Held, W. (see also Nashimoto, H.), 121
Hewitt, R. & Gaskins, P., Influence of ultraviolet irradiation on chromosome replication in ultraviolet-sensitive bacteria, 215
Histidine, tryptophan and tyrosine enzyme synthesis in *Bacillus subtilis*, co-ordinate control, 577
Histidinol dehydrogenase gene of *Salmonella typhimurium* has a hotspot for spontaneous frameshift mutations, 233
Hoffman, M. S. (see also Beckman, L. D.), 551
Huberman, J. A., Kornberg, A. & Alberts, B. M., Stimulation of T4 bacteriophage DNA polymerase by the protein product of T4 gene *32*, 39
Human haemoglobins Chesapeake and J Capetown, abnormal, three-dimensional structure, 241
Hyman, R. W. (see also Davis, R. W.), 287

Ihler, G. & Nakada, D., Role of initiation factors in the control of T4-specific protein synthesis, 419
Immunological studies of ribosomal proteins of *Escherichia coli*, 407
Influenza virus ribonucleic acids, base sequence differences, 273
Ino, I. (see also Yourno, J.), 233
Inosine, adenosine and uridine residue-containing polyribocytidylic acid copolymers, helical complexes with polyriboinosinic acid, 591
Integration of bacteriophage μ, 171
Ishiwata, S. (see also Fujime, S.), 251

J Capetown, three-dimensional structure of this abnormal human haemoglobin, 241

Kallenbach, N. (see also Wang, A.), 591
— & Litwin, S., Statistical Analysis of Spectral Mixing Curve Data, 608
Kaltschmidt, E. (see also Nashimoto, H.), 121
Kinetics of the helix–coil transition of the oligoribouridylic·oligoriboadenylic acid and of oligoriboadenylic acid alone at acidic pH, 361
—, relaxation, of dimer formation by self-complementary oligonucleotides, 383
King, A. M. Q. & Nicholson, B. H., Physical studies on *Escherichia coli* B RNA polymerase and its subunits, 303
King, J. & Laemmli, U. K., Polypeptides of the tail fibres of bacteriophage T4, 465
Kiselev, N. A., Lerner, F. Ya & Livanova, N. B., Electron microscopy of muscle phosphorylase *b*, 537
Kohno, T. (see also Yourno, J.), 233
Kornberg, A. (see also Huberman, J. A.), 39

λ (see Bacteriophage)
Lactose operator, mapping, 139
Laemmli, U. K. (see also King, J.), 465
Lambda (see Bacteriophage)
Laser light, quasi-elastic scattering used in dynamic study of F-actin, 251
Lerner, F. Ya (see also Kiselev, N. A.), 537
Levine, M. & Schott, C., Mutations of phage P22 affecting phage DNA synthesis and lysogenization, 53
Livanova, N. B. (see also Kiselev, N. A.), 537
Litwin, S. (see also Kallenbach, N. R.), 608
Lysogenization, effects of mutations in phage P22, 53

Maas, W. K. (see also Celis, T. F. R.), 179
Marks, P. (see also Terada, M.), 347
Marmur, J. (see also Grossman, L. I.), 565
Martini, O. H. W. & Gould, H. J., Enumeration of rabbit reticulocyte ribosomal proteins, 403
McCorquodale, D. J. (see also Beckman, L. D.), 551
Micrococcal nuclease attack on a portion of the chromosome exposed in tailless heads of λ phage, biological consequences of, 493
— — exposure of λ DNA at the site of head–tail joining in bacteriophage λ, 503
Mitochondrial DNA from normal and mutant yeast cells analysed by nearest neighbour method after petite mutation, 565
Morphogenesis of head and DNA replication in bacteriophage T4, role of gene *49*, 439
MS2 (see Bacteriophage)
μ (see Bacteriophage)
Muscle phosphorylase *b* electron microscopy, 537

Nakada, D. (see also Ihler, G.), 419
Nashimoto, H., Held, W., Kaltschmidt, E. & Nomura, M., Structure and function of bacterial ribsomes. XII. Accumulation of 21 s particles by some cold-sensitive mutants of *Escherichia coli*, 121
Nelson, J. H., Grunberger, D., Cantor, C. R. & Weinstein, I. B., Modification of ribonucleic acid by chemical carcinogens. IV. Circular dichroism and proton magnetic resonance studies of oligonucleotides modified with *N*-2-acetylaminofluorene, 331
Nester, E. W. (see also Roth C. W.), 577
Nicholson, B. H. (see also King, A. M. Q.), 303
Nomura, M. (see also Nashimoto, H.), 121
Non-enzymic co-operative base recognition, 361
Nuclease, micrococcal, attack on a portion of the chromosome exposed in tailless heads of λ phage, biological consequences, 493
—, —, of exposed λ DNA at the site of head–tail joining in bacteriophage λ, 503

Oishi, M. (see also Smith, I.), 111
Okamoto, T. (see also Takanami, M.), 81
Oligonucleotides, self-complementary, relaxation kinetics of dimer formation, 383

Oligoriboadenylic acid alone and oligoribouridylic·oligoriboadenylic acid, kinetics of the helix–coil transition at acidic pH, 361
Operator, lactose, mapping, 139

P22 (see Bacteriophage)
Pearson, G. D. & Hanawalt, P. C., Isolation of DNA replication complexes from uninfected and adenovirus-infected HeLa cells, 65
Perham, R. N. & Thomas, J. O., Reaction of tobacco mosaic virus with a thiol-containing imidoester and a possible application to X-ray diffraction analysis, 415
Phosphorylase *b* of muscle, electron microscopy, 537
Polymerase for DNA of bacteriophage T4, stimulation by the protein product of T4 gene *32*, 39
— — RNA and its subunits of *Escherichia coli* B, physical studies, 303
Polyoma (see Virus), 513
Polypeptides of tail fibres of bacteriophage T4, 465
— — — — — — —, genetic control of assembly, 479
Polyriboinosinic acid helical complexes with copolymers of polyribocytidylic acid containing inosine, adenosine and uridine residues, 591
Polyribosome metabolism in *Escherichia coli* starved for an amino acid, 525
Pörschke, D. & Eigen, M., Co-operative non-enzymic base recognition. III. Kinetics of the helix–coil transition of the oligoribouridylic·oligoriboadenylic acid system and of oligoriboadenylic acid alone at acidic pH, 361
Protein synthesis, T4-specific, initiation factors, 419
Proteins, pre-early, of phage T5, structure and function, 551
Proton magnetic resonance studies of oligonucleotides modified with *N*-2-acetylaminofluorene, 331
Ptitsyn, O. B. (see also Finkelstein, A. V.), 613

Quasi-elastic scattering of laser light used in dynamic study of F-actin, 251

Rabbit reticulocyte ribosomal proteins, enumeration, 403
Rak, K. H. (see also Stöffler, G.), 411
Relaxation kinetics of dimer formation by self-complementary oligonucleotides, 383
Reticulocytes of rabbit ribosomal proteins, enumeration, 403
Ribonucleic acid polymerase and its subunits of *Escherichia coli* B, physical studies, 303
— —, modification by chemical carcinogens, 331
— —, 16 s and 23 s, of *Escherichia coli*, binding sites, 411
— —, 16 s ribosomal, precursor, of *Escherichia coli*, 321
— — synthesis during yolk sac erythroid cell differentiation, 347
— — transcription termination on the replicative form of DNA bacteriophage fd, 81
— —, transfer for arginine, role in the repression of the enzymes of arginine biosynthesis in *Escherichia coli*, 179
— acids of influenza virus, base sequence differences, 273
Ribonucleoprotein, phage-specific particles found in MS2-infected *Escherichia coli*, 189
Ribosomal proteins of *Escherichia coli*, immunological studies, 407
— — — rabbit reticulocytes, two-dimensional electrophoresis, 403
— RNA genes of the chloroplast and nucleus of *Chlamydomonas reinhardi*, transcriptional mapping, 89
— — —, their physical linkage to antibiotic resistance markers in *Bacillus subtilis*, 111
— —, 16 s, of *Escherichia coli*, identification of precursor, 321
Ribosome structure and function, accumulation of 21 s particles by some cold-sensitive mutants of *Escherichia coli*, 121
Rochaix, J. D. (see also Surzycki, S. J.), 89
Roth C. W. & Nester, E. W., Co-ordinate control of tryptophan, histidine and tyrosine enzyme synthesis in *Bacillus subtilis*, 577

Sadler, J. R. & Smith, T. F., Mapping of the lactose operator, 139
Salmonella typhimurium, a hotspot for spontaneous frameshift mutations in the histidinol dehydrogenase gene, 233
— —, similarity of cross-repressible frameshifts, 223
Schlessinger, D. (see also Gurgo, C.), 525
Schott, C. (see also Levine, M.), 53

Sedimentation velocity behaviour of closed circular SV40 DNA as a function of superhelix density, ionic strength, counterion and temperature, 21
Sinha, N. K. & Snustad, D. P., DNA synthesis in bacteriophage T4-infected *Escherichia coli*: evidence supporting a stoichiometric role for gene *32*-product, 267
Sinsheimer, R. L. (see also Cramer, J. H.), 189
Smith, I., Colli, W. & Oishi, M., Studies on the physical linkage of antibiotic resistance markers to ribosomal RNA genes in *Bacillus subtilis*, 111
Smith, T. F. (see also Sadler, J. R.), 139
Snustad, D. P. (see also Sinha, N. K.), 267
Spectral mixing curve data, statistical analysis, 608
Statistical analysis of the correlation among amino acid residues in helical, β-structural and non-regular regions of the globular proteins, 613
Stöffler, G., Daya, L., Rak, K. H. & Garrett, R. A., Ribosomal proteins. XXVI. The number of specific protein binding sites on 16 s and 23 s RNA of *Escherichia coli*, 411
— & Wittmann, H. G., Ribosomal proteins. XXV. Immunological studies on *Escherichia coli* ribosomal proteins, 407
Strandberg, B. (see also Akervall, K.), 625
Sugiura, M. (see also Takanami, M.), 81
Superhelix density of closed circular DNA, buoyant method for density determination, 1
— — — — — SV40 DNA, its effect on sedimentation velocity behaviour, 21
Surzycki, S. J. & Rochaix, J. D., Transcriptional mapping of ribosomal RNA genes of the chloroplast and nucleus of *Chlamydomonas reinhardi*, 89
SV40 (see Bacteriophage)

T3 (see Bacteriophage)
T4 (see Bacteriophage)
T5 (see Bacteriophage)
T7 (see Bacteriophage)
T4-specific protein synthesis, 419
Tail fibre polypeptides of bacteriophage T4, 465
— — — — — —, genetic control of assembly, 479
Tailless heads of λ phage, biological consequences of micrococcal nuclease attack on a portion of the chromosome exposed, 493
Takanami, M., Okamoto, T. & Sugiura, M., Termination of RNA transcription on the replicative form DNA of bacteriophage fd, 81
Terada, M., Banks, J. & Marks, P., RNA synthesized during differentiation of yolk sac erythroid cells, 347
Termination of RNA transcription on the replicative form DNA of bacteriophage fd, 81
Thomas, J. O. (see also Perham, R. N.), 415
Three-dimensional structure of abnormal human haemoglobins Chesapeake and J Capetown, 241
Tobacco mosaic (see Virus)
— — virus reaction with thiol-containing imidoester and possible application to X-ray analysis, 415
— necrosis (see Virus)
Transcriptional mapping of ribosomal RNA genes of the chloroplast and nucleus of *Chlamydomonas reinhardi*, 89
Transcription of RNA termination on the replicative form DNA of bacteriophage fd, 81
Transfer RNA for arginine, role in the repression of the enzymes of arginine biosynthesis in *Escherichia coli*, 179
Tyrosine, tryptophan and histidine enzyme synthesis in *Bacillus subtilis*, co-ordinate control, 577
Tryptophan, histidine and tyrosine enzyne synthesis in *Bacillus subtilis*, co-ordinate control, 577

Ultraviolet irradiation, influence on chromosome replication in ultraviolet-sensitive bacteria, 215
Upholt, W. B. (see also Gray, H. B., Jr.), 1
—, Gray, H. B., Jr. & Vinograd, J., Sedimentation velocity behaviour of closed circular SV40 DNA as a function of superhelix density, ionic strength, counterion and temperature, 21
Uridine, adenosine and inosine residue-containing polyribocytidylic acid copolymers, helical complexes with polyriboinosinic acid, 591

Vinograd, J. (see also Gray, H. B., Jr.), 1
Vinograd, J. (see also Upholt, W. B.), 21

Virus, polyoma, DNA replication, symmetrical model, 513
—, tobacco mosaic, reaction with thiol-containing imidoester and possible application to X-ray analysis, 415
—, — necrosis, X-ray diffraction studies of the satellite virus, 625

Wang, A. C. & Kallenbach, N. R., On helical complexes of polyriboinosinic acid with copolymers of polyribocytidylic acid containing inosine, adenosine and uridine residues, 591
Ward, S. & Dickson, R. C., Assembly of bacteriophage T4 tail fibers. III. Genetic control of the major tail fibre polypeptides, 479
Weinstein, J. B. (see also Nelson, J. H.), 331
Wittmann, H. G. (see also Stöffler, G.), 407

X-ray crystallography, three-dimensional structure of abnormal human haemoglobins Chesapeake and J Capetown, 241
— diffraction analysis, possible application in the study of tobacco mosaic virus treated with thiol-containing imidoester, 415
— — studies of the satellite tobacco necrosis virus, 625

Yeast petite mutation, nearest neighbour analysis of mitochondrial DNA from normal and mutant cells, 565
Yolk sac erythroid cell differentiation, RNA synthesis, 347
Yourno, J., Similarity of cross-suppressible frameshifts in *Salmonella typhimurium*, 223
—, Ino, I. & Kohno, T., A hotspot for spontaneous frameshift mutations in the histidinol dehydrogenase gene of *Salmonella typhimurium*, 233
Yuki, A., Tentative identification of a "maturation enzyme" for precursor 16 s ribosomal RNA in *Escherichia coli*, 321